

SQE MANAGEMENT SYSTEM FORM PASSAGE PLAN

Code: SQE/Form-BCL-019

Date: January 01, 2014 **Ver**: 2.00

Instructions for Use

Section 1
General Information

Section 2 Charts Section 3
Publications

Section 4
Tides and Currents

Section 5
Weather Conditions

Section 6
Reporting details

Section 7 ISPS Section 8 Environmental

Section 9
Contingencies

Section 10
Departure Port Information

Section 11
Sea Passage Information

Section 11 A
Arrival Port Information

Section 11 B

Arrival Port – Passage from Pilot Station to Anchorage

Section 11 C

Arrival Port – Passage from EOSP to Anchorage / Drifting in open safe waters Section 12 A UKC Calculation Section 12 B
UKC Calculation

Section 13 Master's Review

Issued: SQE Dept.

Approved: DMR



SQE MANAGEMENT SYSTEM FORM PASSAGE PLAN

Code: SQE/Form-BCL-019

Date: January 01, 2014 Ver/Rev: 2.00 Page: 3 of 70

Guidelines The passage plan must be made prior commencement of the Voyage. Please use a fresh spread sheet for every passage plan. Please save the Master file and rename the file for use. The Passage plan is protected so that the formulae may not be inadvertently disturbed while filling in the Passage plan. If the autocalculation does not work, got to Tools>Macros>Security and select Medium. The Home page must be used to directly navigate to any sheet of the passage plan. For ease of reference the passage 2. plan is made out in a list of 14 sections. Each section has a button to navigate back to the Home page Section 1: This section contains General information which must be filled in prior preparing the plan. Please fill in this 3 section completely prior to filling up the remaining passage plan. Where applicable select the data from the drop down list. The information fed in to this section is directly linked to the other sections. Section 2: This section contains information to be laid out on Navigation charts. As soon as the chart number is entered the other columns which must be filled in become visible. Please collect relevant information for every cell after referring to the respective chart. For entering information in this sheet, Select the relevant data for every cell from the drop down list and do not leave any cell blank. The data from the columns marked Following to be marked on the Chart" must be plotted/marked on individual charts. Section 3: This section must contain information of publications in use for the present voyage. Please use the drop down menu for selecting applicable Voyage publications only. Please fill in the required data in the Grey shaded cells for the latest edition, the edition on board and corrected up to NTM No. Where the drop down Menu does not contain the required publication, please enter the same manually in the blank space provided. Section 4: Tides for departure, arrival port and during passage need to be filled in the relevant sections. Significant 6 currents and tidal streams to be encountered enroute must also be filled into the relevant section. Section 5: Weather conditions, briefly describe weather expected enroute and special climatic conditions/phenomenon which may be experienced. Section 6: Please fill in the relevant reporting details and attach a VTS reporting diagram (If applicable) from the 8 ALRS for ready reference. Section 7: Please fill in the ISPS information for the relevant passage. Where applicable select the data from the drop down list. This section should be completed and signed by the Ship security officer. Section 8: Please fill in the relevant environmental protection information pertaining to the voyage. Where applicable 10 select the data from the drop down list. Section 9: Please be guided by the emergency procedure manual for handling emergencies and fill in section 4 to detail the Ports of refuge during the voyage. Please list general precautions for the voyage in section 5 For example: Keep 11 clear of Fishing nets which will be encountered whilst in Taiwan straits. Keep a good look out for small wooden fishing boats not readily visible on the radar. Section 10,11,12: Please fill in name of the waypoint and the co-ordinates (LAT/LONG) in the blue color cells. As soon as the waypoint number is fed in , the UKC information becomes visible. The program calculates the Distance to go and the True course. Please also fill in the intended transit speed and the charted depth at every waypoint . Please select the Open/confined water squat from the drop down menu. The program will provide UKC at every waypoint. Section 13: The UKC calculation must be carried out as per attachments. Fill in the required data in the grey color 13 cells. Section 13 B UKC calculation is specifically provided to calculate under keel clearance with variable drafts, vessels condition and after factoring in local tides. Once completed, please take print outs of all the sections. Additional relevant data may be attached to the passage 14 Section 15: A print out of this section must be obtained and then the Master must review the entire passage plan. All the data filled in various sections must be reviewed by the Master and YES/NO/NOT APPLICABLE 15 must be written down in the space provided. All officers comprising the bridge team must sign the plan to confirm understanding and compliance and clarify doubts if any. Print Out: To avoid taking printout of the Greyed area, go into FILE >PAGE SETUP>SHEETS and select the 16 BLACK AND GREY check box abd take a printout of the sheet.

Issued: SQE Dept. Approved: DMR



SQE MANAGEMENT SYSTEM FORM **PASSAGE PLAN**

Code: SQE/Form-BCL-019
Page: 4 of 70
Date: January 01, 2014
Ver/Rev: 2.00

r. No	. Checklist For ECDIS	
	Passage planning appraisal done using bridge publications namely ASD, ALL, ALRS, ATT, Guide to Port	
1	Entry, Adm. Tidal Stream atlases, previous voyage reports (if available), NAVAREA warnings & EGC messages	Selec
2	Verify ENC licenses, updates and Adm. Information Overlay (AIO) for the voyage on board	Selec
3	Check ENC (Zone of confidence – ZOC) to ascertain the quality of surveys	Selec
4	Set safety depth, safety contour, shallow contour and safety framevisible.	Selec
5	Specify turn radius for critical turns and cross track for legs of the voyage	Selec
6	Create route legs in route editor and check legs against pre-set safety parameters as you go along	Selec
7	Amend the route leg if required	Select
8	Passage/ port related layer (can be used any time later) * Ensure layer switched 'on'	Selec
	Mandatory ship's routeing systems	
	- Parallel indexing with cross Index Range and clearing bearings	
	- Radar conspicuous landmarks	
	- Transits, heading marks and leading lights	
	- Echo sounder recorder switching on points	
	- Significant tides or current	
	- VHF reporting points for VTS/ port	
	- Garbage, Sewage, SECA changeover areas, Particular and Environmentally Sensitive Sea areas	
	- Abort point and contingency anchorage	
	- High density traffic areas	
9	Voyage related layer (can be deleted if required) * Ensure layer switched 'on'	Selec
	Specific information relating to the current voyage	
	- Symbols/ marks, events used to record vessel's position	
	- Notices to Engine Room, crew	
	- Specific information of work on deck	
	- Anti-piracy measures (plots of mother ships/ skiff sightings etc)	
	- Changes in machinery status	
10	Manual Correction Layer	Select
10	- EGC/ Navarea Warnings plotted and manual correction tab 'on'	Seice
11	AIO Layer	Selec
* 1	- Ensure AIO service activated and AIO tab 'on'	50100
12	Navtex Receiver	Selec
	- Ensure navtex messages for area checked and incorporated in passage plan	~ 0.00

Issued: SQE Dept. Approved: DMR

Code: **SQE/Form-BCL-019**Date: January 01,

Page : 5 of 70

Section 1: General information

-¾-I<u>SHIM</u>∧

Vessel's Name	GLENDA MEREDITH
Voyage Number	11
Vessel's Condition	In Ballast
Target Speed	13
Target RPM	102
Total Steaming Time	13 DAYS 13 HRS
Total distance to go	4229
Max HT above Keel in Meters	48.87

Departure Port Information									
Name of the Port	MONTEVIDEO, URUGUAY								
ETD	24/06/2014 1800 LT								
Estimated ROB's on Departure									
HFO	482.5								
MDO/MGO	88								
FW	251								
MECYL	17137								

Departure Draft							
Fore	6.2						
Aft	7.8						
Max Air Draft	41.07						
Air Draft Requiremnt							
Arriv	val Draft						
Fore	6.2						
Aft	7.8						
Max Air Draft	41.07						
Air Droft Paguiromnt	NONE						

Arrival Port Information							
Name of the Port	TRINIDAD, OPL						
ETA	08/07/2014 0700 LT						
Estimated ROB's on Arrival							
HFO	130						
MDO/MGO	88						
FW	370						
MECYL	15125						

Air Draft Requiremnt NONE

NONE

Block Coefficient	0.7519					
Clock to be advanced	/Retarded during voyage					
Clocks	TO BE RETARDED BY					
Duration	I HR					
If the vessel is Crossin	ng International Date line					
Date of Crossing	Not Applicable					
Day Advance/ Retard	Not Applicable					

Consumptions / Day in MT								
HFO	25 MT/DAY							
MDO/MGO	AS REQUIRED							
L.O ME CYL Ltrs/day	150 Ltrs							
Fresh	Fresh Water Data							
FW Consumption/ day in MT	5-7 MT/DAY							
FW Production / day in MT	15-20							
Net Gain / Loss / day in MT	10-12 MT/DAY							

Issued: SQE Approved: DMR

Select from list
TO BE ADVANCED BY
TO BE RETARDED BY
In Ballast

Not Applicable Page : 6 of 70

Select from list

Not Applicable

30 MINUTES

1 HR

1 HR 30 MINUTES

2 HRS

2 HRS 30 MINUTES

3 HRS

3 HRS 30 MINUTES

4 HRS

4 HRS 30 MINUTES

5 HRS

5 HRS 30 MINUTES

6 HRS

6 HRS 30 MINUTES

7 HRS

7 HRS 30 MINUTES

8 HRS

8 HRS 30 MINUTES

9 HRS

9 HRS 30 MINUTES

 $10~\mathrm{HRS}$

10 HRS 30 MINUTES

11 HRS

11 HRS 30 MINUTES

12 HRS

12 HRS 30 MINUTES

13 HRS

Select from list

Not Applicable

Advance one Day

Retard one Day



sqe management system form Section 2: Nautical charts - Appraisal

Code: **SQE/For** age 7 of 70

M.V./M.T.: GLENDA MEREDITH Voyage No: 11

	T & P Corrections			FOLL		METHOD OF I FIXIN					
Chart No.		M/E ready for Manouvering	Parallel Indexing	Wheel Over Position	Abort Positions	Contingency Anchorage	No-Go Areas	Echo Sounder Usage	Anchors Lashed / Unlashed	Marking of current	Primary method
2001	4052(T)/13	Yes	Yes	No	No	Yes	Yes	Yes	Unlashed	Marked	Visual
3064	129(T)/13	Yes	Yes	No	No	Yes	Yes	Yes	Unlashed	Marked	Visual
3063	317(P)/12	Yes	No	No	No	N/A	Yes	Yes	Lashed	Marked	GPS
530	5456(T)/12, 1309(T)/12, 5613(T)/12	Yes	No	No	No	N/A	Yes	Yes	Lashed	Marked	GPS
529	1309(T)/12, 5613(T)/12, 75(T)/14	Yes	No	No	No	N/A	Yes	Yes	Lashed	Marked	GPS
3978	2465(T)/12, 5456(T)/12, 1340(T)/12	Yes	No	No	No	N/A	Yes	Yes	Lashed	Marked	GPS
3979	NIL	Yes	No	No	No	N/A	Yes	Yes	Lashed	Marked	GPS
3955	5748(P)/12	Yes	No	No	No	N/A	Yes	Yes	Lashed	Marked	GPS
3957	5748(P)/12	Yes	No	No	No	N/A	Yes	Yes	Lashed	Marked	GPS
520	124(T)/12, 5748(P)/12	Yes	No	No	No	N/A	Yes	Yes	Lashed	Marked	GPS
517	124(T)/12	Yes	No	Yes	No	N/A	Yes	Yes	Lashed	Marked	GPS
1044	329(T)/11, 330(T)/11, 331(T)/11	Yes	Yes	Yes	No	Yes	Yes	Yes	Unlashed	Marked	Visual

Yes	Yes	Yes	No	Yes	Yes	Yes	Unlashed		Radar	
Yes	Yes	Yes	No	Yes	Yes	Yes	Unlashed		Radar P	age 8 of 7
Yes	Yes	Yes	No	Yes	Yes	Yes	Unlashed		Radar	
Yes	Yes	Yes	No	Yes	Yes	Yes	Unlashed		Radar	
Yes	Yes	Yes	No	Yes	Yes	Yes	Unlashed		GPS	7
Yes	Yes	Yes	No	Yes	Yes	Yes	Unlashed		Radar	
Yes	Yes	Yes	No	Yes	Yes	Yes	Unlashed		Visual	
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Unlashed		GPS	
Yes	No	Yes	Yes	Yes	Yes	No	Lashed		GPS	7
Yes	No	Yes	Yes	Yes	Yes	No	Lashed		GPS	
Yes	No	Yes	Yes	Yes	Yes	No	Lashed		GPS	
Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Se	lect from list	
Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Se	lect from list	
Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Se	lect from list	
Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Se	lect from list	
Select from list	Select from list	Select from list	Select from	Select from list	Select from list	Select from list	Select from list	Se	lect from list	

Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list Page 9
Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list
Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list
Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list
Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list
Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list
Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list
Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list
Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list
Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list	Select from list

Please provide chart numbers of Charts other than WGS 84 Datum:

If electronic charts are in use, the electronic charts should be kept fully corrected. Officers using electronic charts must be appropriately trained

Issued: SQE Dept.

Approved: DMR

POSITION G
Secondary method
Radar/GPS
Radar/GPS
GPS
Radar/GPS

Radar/GPS
Radar/GPS
Radar/GPS
Radar/GPS
Celestial

Radar/GPS

Radar/GPS

Radar/GPS

GPS GPS

Celestial

Select from list

		Select from		Select from		Select from				
Select from list	Select from list	list	Select from list	list	Select from list	list	list	Select from list	Select from list	Select from list Visual Page 13 of 70
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Lashed	Visual	Visual Tage 13 of 70
No	No	No	No	No	No	No	No	Unlashed	Radar	Visual/GPS
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		GPS	Radar/GPS
									Celestial	Radar
									Line of Soundings	GPS
									Transit bearings	Celestial
										Line of Soundings
										Transit bearings
										Transit

bearings/GPS



SECCHOLIST SYPUBLICATIONS

Code: SQE/FormyBCL20149

M.V/M.T.

GLENDA MEREDITH

Voyage No:

11

Confirm that Publications for the voyage are of the Latest edition & Corrected to the Latest Notice to mariner on board
If a Public is found to be not of the latest edition. The office should be informed immidiately, a
Risk Assessment carried out and Requisition raised.

ty List of	Radio S	ignals	Applicable List of Sailing Directions			
Latest Edition	on	to NTM	Sailing Directions	Latest Edition	Edition on board	Corrected to NTM No.
2013/14	2013/1 4	27/14	NP5 South America Pilot Vol 1	2011	2011	27/14
2013/14	2013/1 4	27/14	NP7A South America Pilot Vol 4	2013	2013	27/14
2013/14	2013/1 4	27/14	Select from List			
2013/14	2013/1 4	27/14	Select from List			
2013/14	2013/1 4	27/14	Select from List			
2013/14	2013/1	27/14				
 			Select from List			
	Latest Edition 2013/14 2013/14 2013/14 2013/14	Latest Edition on board Edition on board 2013/14 2013/1 4 2013/14 2013/1 4 2013/14 2013/1 4 2013/14 2013/1 4 2013/14 2013/1 4 2013/14 2013/1 4	Edition on board to NTM No. 2013/14 2013/1 4 27/14 2013/14 2013/1 4 27/14 2013/14 2013/1 4 27/14 2013/14 2013/1 4 27/14 2013/14 2013/1 4 27/14 2013/14 2013/1 4 27/14	Latest Edition Edition on board Corrected to NTM No. Sailing Directions 2013/14 2013/1 4 27/14 NP5 South America Pilot Vol 1 2013/14 2013/1 4 27/14 NP7A South America Pilot Vol 4 2013/14 2013/1 4 27/14 Select from List 2013/14 2013/1 4 27/14 Select from List 2013/14 2013/1 4 27/14 Select from List 2013/14 2013/1 4 27/14 Select from List	Latest Edition Corrected to NTM board No. Sailing Directions Latest Edition	Latest Edition on board Sailing Directions Latest Edition on board

Issued: SQE Dept. Approved: DPA

Applicable Admiralty L	ist of Lig	hts and f	og signals
List of Lights	Latest Edition	Edition on board	Corrected to NTM No.
NP80 Volume G: Western Side of South Atlantic and East Pacific Ocean; from Cabo Orange	2013/14	2013/1 4	27/14
to Point Barrow, and Hawaiian Islands NP82 Volume J. Western			
Side of North Atlantic Ocean; from Maine to Cabo Orange, including	2013/14	2013/1 4	27/14
Gulf of Mexico and Carribean Sea			
Select from List			
Select from List Select from List			
Select from List			

Applicable	Admiralty T	ide tables	
Tide tables	Latest Edition	Edition on board	Corrected to NTM No.
NP202 Volume 2, Europe (excluding United Kingdom and Ireland), Mediterranean Sea and Atlantic Ocean	2014	2014	27/14
Select from List			
Select from List			
Select from List			

Details of latest Radio/	Electronic Broad	casts (Add
Details	Latest warning available	Applied on charts
Navareas/ Hydrolants/ Hydropac warnings	YES	As appl.
Vessel's present Navarea	VI	As appl.
Navareas to be transited	VI,V	As appl.
Navtex /local area warnings?	YES	As appl.
Navtex Areas selected	YES	As appl.
Weather Facsimile broadcasts (List the Chart station)	YES	As appl.
Ocean routeing services	YES	As appl.
Radio Weather Broadcasts?	YES	As appl.
Inmarsat Broadcasts (EGC warnings)	YES	As appl.
Special area warnings	YES	As appl.

Applicable Miscellan	eous publicat	ions (Add a	ny other	
Publication	Latest Edition	Edition on board	Remarks	
NP 131 Chart Catalogue	2014	2014		
NP 136 Ocean Passages of the world	2004	2004		
NP 100 Mariners hand book	9TH	9TH		
Guide to port entry	2013/14	2013/14		
Admiralty Co-Tidal Atlas	NA	NA		
Tidal Stream Atlas	NA	NA		
Distance table (Admiralty/BP)	Admiralty/ BP	Admiralty/ BP		
Load line Chart	2005	2005		
Routeing charts & Guidance for Laden tanker routes off Dutch coast and South Africa	5124 (07)	5124 (07)		
	Arriva	Dep. Port		
NP 735 IALA Buoyage System	Arrival port Region B		Region B	

Issued: SQE Dept.

Approved: DMR

Select from List Select from List NP281(1) Voiume 1 - Pari NPZ01 VOIUME 1, Omied 1, Maritime Radio Stations Kingdom and Ireland (Europe, Africa and Asia -(including European Channel excluding the Far East) NPZÚZ VOIume Z, Europe NP281(2) volume 1 - Part 2, Maritime Radio Stations (excluding United Kingdom and Ireland), Mediterranean (Oceania, the Americas and Sea and Atlantic Ocean the Far East) DI 202 VUIUIIC 2, INAUIU Aids to Navigation, Satellite Navigation Systems, Legal NP203 Volume 3, Indian Time, Radio Time Signals Ocean and South China Sea and Electronic Position (including Tidal Stream Fixing Systems Tables) NP283(1) volume 3 - Part 1, Maritime Safety Information NP204 Volume 4, Pacific Services (Europe, Africa and Ocean (including Tidal Stream Asia, excluding the Far East) Tables) NP283(2) Volume 3 - Part 2, Maritime Safety Information Services (Oceania and the Americas and the Far East) Not Applicable NP284 Volume 4, Meteorological Observation Stations NP285 Volume 5, Global Maritime Distress and Safety Select from List 1 200(1) voiume 0 - 1 ai (1, Pilot Services, Vessel Traffic Services and Port Operations (United Kingdom and Ireland including European Channel NP1 Africa Pilot Vol 1 NI 200(2) YORUNG U = 1 art 2, Pilot Services, Vessel Traffic Services and Port Operations (Europe - excluding UK, Ireland, Channel Ports and the Mediterranean) NP2 Africa Pilot Vol 2 NF200(3) VOIUME 0 - Fait 3, Pilot Services, Vessel Traffic Services and Port Operations (Mediterranean and Africa including Persian Gulf) NP3 Africa Pilot Vol 3 Nr200(4) voiume o - rait 4, Pilot Services, Vessel Traffic Services and Port Operations (Indian sub-continent, South East Asia and Australasia) NP4 South-East Alaska Pilot NP280(3) Volume o - Pari 3, Pilot Services, Vessel Traffic Services and Port Operations NP5 South America Pilot Vol (Americas and Antarctica) Nr280(0) volume o - raft o, Pilot Services, Vessel Traffic Services and Port Operations NP6 South America Pilot Vol (North East Asia) NP/ South America Pilot Vol Not Applicable NP/A South America Pilot NP8 Pacific Coasts of Central America and United States Select from List Pilot INI / T VOIGING A. DITUM Isles and North Coast of France; from Dunkerque to entrance to Goulet de Brest including North Sea Oil and NP9 Antarctic Pilot Gas Production Installations INT / 2 VOIGING D. SOURIGIN and Eastern Sides of the North Sea; including the Coast of Norway to latitude 60° 55'N NP10 Arctic Pilot Vol 1

Select from List Region A

Region B

NP/6 Volume C: Baltic Sea; including Kattegat, Belts and NP11 Arctic Pilot Vol 2 Sound Commo D. Laborin Atlantic Ocean. Western Indian Ocean and Arabian Sea; from Goulet de Brest Southward, including offlying Islands, to longitude 68° NP12 Arctic Pilot Vol East 3(Eighth edition 2007) NP/8 Volume E: Mediterranean, Black and Red Seas NP13 Australia Pilot Vol 1 NP79 Volume F: North East Indian Ocean, South China and Eastern Archipelagic Seas (north of the Equator) and Western parts of Philippine, East China and Yellow Seas NP14 Australia Pilot Vol 2 NP80 Volume G: Western Side of South Atlantic and East Pacific Ocean; from Cabo Orange to Point Barrow, NP15 Australia Pilot Vol 3 and Hawaiian Islands INFOT VOIGHETT, INCHIENT and Eastern Coasts of Canada; including River Saint Lawrence and Saint Lawrence Seaway 19162 VOIUME J. WESIGIII NP18 Baltic Pilot Vol 1 Side of North Atlantic Ocean; from Maine to Cabo Orange, including Gulf of Mexico and NP19 Baltic Pilot Vol 2 Carribean Sea NP83 Volume K: Indian and Pacific Oceans, south of the Equator volume L. Normem NP20 Baltic Pilot Vol 3 Seas; Coast of Norway north of Lat 60° 55'N, Svalbard, the Faeroes, Iceland, Greenland and coast of Russia to Bering NP21 Bay of Bengal Pilot INFOS VOIUME IVI. WESTEIM side of North Pacific Ocean; excluding western parts of Philippines, East China and NP22 Bay of Biscay Pilot Yellow Seas NP23 Bering Sea and Strait Not Applicable Pilot NP24 Black Sea Pilot NP25 British Columbia Pilot Vol 1 NP26 British Columbia Pilot Vol 2 NP27 Channel Pilot NP28 Dover Strait Pilot NP30 China Sea Pilot Vol 1 NP31 China Sea Pilot Vol 2 NP32 China Sea Pilot Vol 3 NP33 Philippine Islands Pilot NP34 Indonesia Pilot Vol 2 NP35 Indonesia Pilot Vol 3 NP36 Indonesia Pilot Vol 1 NP37 West Coasts of England and Wales Pilot NP38 West Coast of India Pilot NP39 South Indian Ocean Pilot NP40 Irish Coast Pilot NP41 Japan Pilot Vol 1

> NP42A Japan Pilot Vol 2 NP42B Japan Pilot Vol 3 NP42C Japan Pilot Vol 4

NP43 South and East Coasts of Korea Pilot NP44 Malacca Strait and West Coast of Sumatera Pilot NP45 Mediterranean Pilot Vol 1 NP46 Mediterranean Pilot Vol 2 NP47 Mediterranean Pilot Vol 3 NP48 Mediterranean Pilot Vol 4 NP49 Mediterranean Pilot Vol 5 NP50 Newfoundland and Labrador Pilot NP51 New Zealand Pilot NP52 North Coast of Scotland

NP54 North Sea (West) Pilot

NP55 North Sea (East) Pilot

NP56 Norway Pilot Vol 1

NP57A Norway Pilot Vol 2A

NP57B Norway Pilot Vol 2B

NP58A Norway Pilot Vol 3A

NP58B Norway Pilot Vol 3B

NP59 Nova Scotia and Bay of

Fundy Pilot

NP60 Pacific Islands Pilot

Vol 1

NP61 Pacific Islands Pilot

Vol 2

NP62 Pacific Islands Pilot

Vol 3

NP63 Persian Gulf Pilot NP64 Red Sea and Gult of

Aden Pilot

NP65 St Lawrence Pilot NP66 West Coast of Scotland

Pilot

NP67 West Coast of Spain

and Portugal Pilot

NP68 East Coast of the United States Pilot Vol 1

NP69 East Coast of the

United States Pilot Vol 2 NP69A East Coasts of Central

America and Gulf of Mexico

Pilot

NP70 West Indies Pilot Vol 1

NP71 West Indies Pilot Vol 2

NP/2 Southern Barents Sea

and Beloye More Pilot

Not Applicable



soe management system form Section 4: Tides and current

Code: SQE/JanuaryBQL2014

M.V./M.T.: GLENDA MEREDITH Voyage No: 11

	Arrival Por	t			
Arrival Date	08-	Jul-14			
2) Arrival Time	17:00				
3) Tides	TIME	HEIGHT			
i. High water	13:00	0.9			
ii. Low water	18:25	0.6			
4) Tidal Stream					
i. Rate		NA			
ii. Direction		NA			

	During The Passa	ge(Straits, channels etc)		
1) Position	NORTH OF	BRAZIL TO TRINIDAD & TOBAGO		
2) Arrival Date		02-Jul-14		
3) Arrival Time		22:00		
4) Tides	TIME	HEIGHT		
i. High water	N/A	N/A		
ii. Low water	N/A N/A			
5) Tidal Stream				
i. Rate		N/A		
ii. Direction		N/A		
6) Currents				
i Name	Equatorial			
ii. Rate	3-4 kts			
iii Direction	WNW			

Issued: SQE Dept. Approved: DMR



Code: SQE/Form-BCL-019

Date: January

SQE MANAGEMENT SYSTEM FORM

PASSAGE PLAN Section 5: Weather conditions

	M.V./M.T.:	GLENDA MERE	EDITH		Voyage No:	11
1)	Which organiza	uting Services being tion is providing the eather routing forma	se servic	es?		Yes PRYAD Yes
2)		pected weather conc				
3)		k height of swell exp				
4)	What is the max 8 - 15 kts	wind speed expect	ed at Dep	arture	/ Arrival port	& during Sea
5)	What is the may 28 C / 13 C	ς / minimum temper	ature like	ely to e	encounter duri	ng voyage ?
6)	Is the vessel exp	pected to experience	areas wi	th rest	ricted visibili	ty during the
7)	Is the vessel exp	pected to encounter i	ce durinș	g passa	age, if yes plea	ase advise
8)	Is the vessel exp	pected to encounter a	any Tropi	cal Cy	/clones / Typh	oons / Tropical
9)	Has the vessel t	aken adequate preca	utions fo	r unex	spected Rough	Weather
10)	What is the GM	of the vessel on De	parture,	Arriva	al & expected	minimum GM
,	Departure	8.06 M	Arrival	7.96 M	Passage	7.96 M

Issued: SQE Approved:

Select from List Yes No Not Applicable



SQE MANAGEMENT SYSTEM FORM PASSAGE PLAN

Code: SQE/For

Date: Janu

Section 6: Reporting Details

N	M.V./M.T.:		Voyage No:	
A) 1.	If Yes, Expec	end (For US Calling vessels only) cted Date of submission ENOA/D to NVMC/ SAN ssel to send ENOA to SANS at least 96 hrs Prior ente		Date YES
Rem	arks (If any)			
N/A				
B)	PILOTS			
1.		sys pre arrival notice to be given to Pilot station at	_	
Days		N/A	Hrs	
	Means of Cor Channels other means	mmunication with pilot station (Email, VHF etc)	Em	ail address
Rem	arks (If any)			
C) 1	Is there any V channel?	traffic system)/ Ship's position reports /TS reporting needs to done at departure, if yes the sign needs to be done during voyage, if yes at then sign needs to be done during voyage, if yes at them sign needs to be done during voyage.		VHF Channels 13 VES or VHF Channels 13
			Reporting Area/ sector	or VHF Channels
			Reporting Area/ sect	or VHF Channels
			Reporting Area/ sect	or VHF Channels
3.	Is there any V	TS reporting needs to done upon arrival, if yes th	en state VHF channel	VHF Channels
4.	-	icipating in any SRS Ship reporting system /AUSREP/JASREP/INSPIRES etc		
Rem	arks (If any)			
VSL	TO CARRY O	OUT SISTRAM AND AMVER REPORTING		
D)	CHARTER	ERS/ Agents		
1.	How many da Agent Terminal	nys / hours notice of arrival is to be given to: 96/72/24/12 HRS N/A		
2.	Detail of:	1.0.7.7		
	Agent	D. Hill Shipping Services Ltd		Charterer N/A
		Tel: 1 868 658 3700/2216/2906 ops@dhillshipping.com		
			_	·

Time/ Location NOR is to be tendered?

Issued: SQE Dept. Approve

m-BCL-019			
ıary 01, 2014			
NO N/A			
,			
NO N/A			
NO N/A			
NO N/A			
Yes			
A			
<u>A</u>			

ed: DMR

Select from Yes No Not applica



SQE MANAGEMENT SYSTEM FORM

Code: SQE/Form-BCL-019
Date: January 01, 2014

Section 7: ISPS requirements

M.V./M.T.:	GLENDA MEREDITH	Voyage No:		
ARRIVAL PORT/ COUNTRY		TRINIDAD	OPL	
BERTH NAME /NUMBER:		N/A		
SECURITY LEVEL IN PORT			1	
SECURITY LEVEL OF THE VESSE	EL		1	
AT SEA				
1. is the vessel expected to pass thro	ugh Piracy prone area ?			No
2. Is the SSAS in good working orde	r ?			Yes
Date of last testing of SSAS:		5/15/201	4	
3. Are all security equipment in good (AIS / Torches / Night vision binoc		r etc)		Yes
3. Have Anti Piracy watches been pl explained to staff on board?	anned and relevant duties		Not a	pplicable
4. Give brief description of sea areas VESSEL TO CARRY OUT STOW, SMALL CRAFTS AND BOATS			ND KEEP LOOK	COUTS FOR

Issued: SQE Dept. Approved: DMR

Select from List Yes No Not applicable



SQE MANAGEMENT SYSTEM FORM

Code: **SQE/Form-BCL-019 Date:** January 01, 2014

Section 8: Environmental requirements

N	1.V/M.T	GLENDA MEREDITH	Voyage No:	11
	(Reminde	er: Master to get latest local regulations fr	om agents well in advance in order to comply ful	ly with all local regulations well in time)
1)	Is the vo	essel expected to transit Particular	sensitive Sea Areas (PSSA)	No
	Area	N	ot applicable	
	a.	Point at which master is to be co	alled marked on chart	Not Applicable
	b.	All overboard v/v to be sealed a	nd locked so as to prevent any grey wat	er Not Applicable
	c.		eing informed that "No deballasting	Not Applicable
	d.	-	egin informed that No deck washing or	
2)	Is the ve	essel expected to enter Marpol A	nnex 1 special areas enroute ?	No
-,	Sr. No.	MARPOL ANNEX I AREAS	DATE /TIME OF ENTRY	
			DATE TERE OF ENTRY	
	1	Not applicable		
	2	Not applicable		
	3	Not applicable		
	4	Not applicable		
	5	Not applicable		
	6			
3)	Is the vo	essel expected to enter Marpol A		Yes
	Sr. No.	MARPOL ANNEX V AREAS	DATE/TIME OF ENTRY	
	1	Wider Caribbean region	07/07/2014 , 1800 LT	
	2	Not applicable		
	3	Not applicable		
	4	Not applicable		
	5	Not applicable		
	6			
4)		essel expected to enter SECA area	a, if yes please advise if	No
	vessel c	complies with SECA plan		
	Sr. No.	SECA AREAS	DATE / TIME OF ENTRY	
	1	Not applicable		
	2	Not applicable		
	3	Not applicable		
	4			
Iss	ued: SQE	Dept.		Approved: DPA

5)	Does the vessel have sufficient LSFO for its	Not Applicable				
5)	Does the vessel have sufficient MGO to con	Not Applicable				
7)	If calling California, Does the vessel have s			Not Applicable		
	(When the vessel arrives within 24 nautical miles of C					
	If calling port in European Union, Does the	vessel have suf		Not Applicable		
			SULPHUR			
	OPERATING AREA	GRADE	LIMIT %	TYPE OF SHIPS		
	EC Territory and waters	HFO	1	All Ships		
	EC Territory and waters	MGO	0.1	All Ships		
	EC Inland waterways and at berth for > 2 days	All Grades	0.1	All Ships		
8)	Is Ballast water exchange required to be car	ried out?		No		
10)	On Bulk carriers and General cargo vessels	, has the disposa	al of Cargo residues been	Not Applicable		
			Date of Last entry:			
11)	Is the vessel calling any port with special se	ewage or grey w	vater regulations in force	Not Applicable		
	G	0 0 2		53		
12)	If trading on US East Coast (Southeastern A	Atlantic and mid	l-Atlantic US waters), are	Not Applicable		
	year in the following approximate locations at the follo	owing times.)	J I			
	Area Not					
				•		
Iss	ued: SQE Dept.			Approved: DMR		

Select from List Yes No Not Applicable

Approved: DMR

	PSSA
Marpol Annex 1	Select from list
Select from list	The Great Barrier Reef, Australia
The Mediterranean sea area	The Sabana-Camagüey Archipelago in Cuba Malpelo Island,
The Baltic sea Area	Colombia The Sea around the
The Black sea area	Florida Keys, United States The Wadden Sea,
The Red sea area	Denmark, Germany, Netherlands
The Gulfs - NW of line joining Ras Al Hadd and Ras Al Fasteh	Paracas National Reserve, Peru Western European
The Gulf of Aden Area	Waters Extension of the existing Great Barrier Reef PSSA to include the Torres
The Antarctic area	Strait
NW European Waters	Canary Islands, Spain The Galapagos
The Oman area of the Arabian sea	Archipelago, Ecuador ine Bante Sea area, Denmark, Estonia, Finland, Germany, Latvia, Lithuania, Poland
Southern South Africa	and Sweden

Not applicable

Marpol Annex V

Select from list

The Mediterranean sea area

The Baltic sea Area

The Black sea area

The Red sea area
The Gulfs - NW of line joining Ras Al Hadd

and Ras Al Fasteh

The North Sea Area

The Antarctic area

Wider Caribbean region

Not applicable

Seca

Select from list

Baltic Sea

North Sea

English Channel

Not applicable

Right whale areas

Select from list

Southeastern $\cup S$ areas, from St. Augustine, Florida. to Brunswick, Georgia, from November 15 to April 15. Mid-Atlantic US areas, from Rhode Island to Georgia, from November 1 to April 30

Cape Cod Bay, from January 1 to May 15. Off Race Point at the northern end of Cape Cod, from March 1 to April 30. Great South Channel of New England, from April 1 to July 31.

Not applicable

ine Papahānaumokuākea Marine National Monument, United States

Not applicable



sqe management system form Section 9: Contingencies

Code: SQE/Form-BCL-019 Date: January 01,

Page: 33 of 70

M.V./M.T.: GLENDA MEREDITH Voyage No: 11

1. Tug Failure

Master shall inform Pilot regarding Tug failure Master shall inform forward & aft station in order to deal with any emergencies Vessel should rig fenders to minimize the contact damage.

2. Please refer to Emergency Procedure Manual Section 4 for following Emergencies:

Fire / Main Engine Failure / Causality / Terrorism / Gyro Failure / Steering gear failure / Oil / C Spill ETC

3. Incapacity of Pilot

Master shall take over the Con of the vessel
Master shall notify Pilot Station and Tugs if applicable
Master should proceed to safe contingency anchorage
Master should notify all vessel in the vicinity
Crew should be standby forward station along with C/O for possible anchoring

4. Port Of Refuge

Please list out probable Port of Refuge

Port of refuge should be a port where necessary assistance can be provided to the vessel immediately for example assistance for Machinery repairs, Medical Assistance, and possibility of discharging cargo for further transshipment)

1	BRAZIL (RIO DE JANERIO, RECIFE, SALVADOR, FORTALEZA, BELEM)
2	FRENCH GUYANA
3	SURINAM
4	
5	

5 General Precautions for the Voyage:

Precaution of traffic zone when inbound & outbound traffic Keep good look out of crossing vessel, Sailing/fishing Boat and small craft. Frequently checking of posn should be at shortest interval as per mark on chart and passage plan, possible alteration of course should be check that the posn will not get closed to the shallow water or unknown depth especially when

Issued: SQE Approved:



SQE MANAGEMENT SYSTEM FORM

Section 10: Departure port - Passage from Berth to Pilo

M.V./M.T.: GLENDA MEREDITH

WP	WP	Name/ Reference	Latitude	Longitude	T/CO	Bridge Manning Level	Position Plotting Interval	DIST	LAT	DLAT	MP	DMP	LONG	DLO	RL/CO	UKC
			Deg Min E/W												(Mtrs)	
1	Zone Alfa Anchorage	S	W				0.0	0.00		0.00		0.00			5.45	
2		S	W					0.00	0.00	0.00	0.00	0.00	0.00		3.45	
3		S	W					0.00	0.00	0.00	0.00	0.00	0.00		3.45	
4	Recalada Pilot Stn	S	W					0.00	0.00	0.00	0.00	0.00	0.00		3.45	
								0.00	0.00	0.00	0.00	0.00	0.00			
								0.00	0.00	0.00	0.00	0.00	0.00			
								0.00	0.00	0.00	0.00	0.00	0.00			
								0.00	0.00	0.00	0.00	0.00	0.00			
								0.00	0.00	0.00	0.00	0.00	0.00			
							†	0.00	0.00		0.00		0.00			
	·····						†	0.00	0.00	0.00	0.00		0.00			
								0.00	0.00		0.00		0.00			
							1	0.00	0.00		0.00		0.00			
								0.00			#REF!			#REF!		
***********************							†	0.00	0.00		0.00		0.00			
								0.00	0.00		0.00		0.00			
							 	0.00	0.00		0.00		0.00			
								0.00	0.00		0.00		0.00			
							 	0.00	0.00		0.00		0.00			
							0.0	0.00	0.00		0.00		0.00	0.00		

Issued: SQE Dept.

Code: SQE/Form-BCL-019 Date: January 01, 2014

4	CIA	4 .		
1	Sta	Ħ	a	n
' E			v	

Voyage No. 11

000000000000000000000000000000000000000	UKC CALCULATION AT EVERY WAY POINT Deepest									
FWD Draft	Aft Draft	Static Draft	Intended transit Speed	Squat	Open/Confined water Squat	Charted Depth+Tide				
6.2	7.8	7.8	10	0.75	Open	14				
6.2	7.8	7.8	10	0.75	Open	12				
6.2	7.8	7.8	10	0.75	Open	12				
6.2	7.8	7.8	10	0.75	Open	12				
				0.00	Select from list					
				0.00	Select from list					
				0.00	Select from list					
				0.00	Select from list					
				0.00	Select from list					
				0.00	Select from list					
				0.00	Select from list					
				0.00	Select from list					
				0.00	Select from list					
				0.00	Select from list					
		***************************************		0.00	Select from list					
				0.00	Select from list					
		***************************************		0.00	Select from list					
				0.00	Select from list					
				0.00	Select from list					
				0.00	SCICCL HOIII IISC					

Approved: DMR

Select from list Open Confined Cell: AA8

Comment: Pls include charted depth + Tide in this column

SQE MANAGEMENT SYSTEM FORM



M.V./M.T.: GLENDA MEREDITH

Section 11: Sea Passage - Passage from Pilot static

WP	Name/ Reference	L	.atitude		Lo	ongitu	de	T/CO	Bridge Manning	Position Plotting Interval	DIST	LAT	DLAT	MP	DMP	LONG	DLO	RL/CO
1			Min	N/S	Deg	Min	E/W		Level	1 oon 1 oon g mer var								
1	Montevideo	35*	03.64'	S	056*	01.43	W				0.0	-35.06		-2,235.35		-56.02		
2		35*	04.00'	S	055*	50.00	W	092.2			9.4	-35.07	-0.01	-2,235.78	-0.44	-55.83	0.19	92.19
3		35*	06.00'	S	055*	30.00	W	096.9			16.6	-35.10	-0.03	-2,238.22	-2.43	-55.50	0.33	96.94
4		35*	04.50'	S	054*	30.00	W	088.3			49.3	-35.08	0.02	-2,236.39	1.82	-54.50	1.00	448.26
5		34*	46.00'	S	053*	43.00	W	064.5			42.9	-34.77	0.31	-2,213.93	22.46	-53.72	0.78	424.46
6		34*	15.00'	S	052*	50.00	W	054.8			53.7	-34.25	0.52	-2,176.49	37.45	-52.83	0.88	414.76
7		32*	00.00'	S	050*	00.00	W	046.7			196.7	-32.00	2.25	-2,016.04	160.45	-50.00	2.83	406.66
8		25*	40.00'	S	042*	30.00	W	046.2			548.8	-25.67	6.33	-1,584.16	431.88	-42.50	7.50	406.18
9		22*	00.00'	S	039*	12.00	W	039.6			285.6	-22.00	3.67	-1,344.96	239.20	-39.20	3.30	399.62
10		18*	00.00'	S	037*	00.00	W	027.5			270.5	-18.00	4.00	-1,091.02	253.94	-37.00	2.20	387.47
11		08*	00.0'	S	034*	25.0'	W	014.2			618.9	-8.00	10.00	-478.32	612.69	-34.42	2.58	374.20
12		07*	00.0'	S	034*	25.0'	W	360.0			60.0	-7.00	1.00	-418.21	60.12	-34.42	0.00	360.00
13		05*	00.0'	S	035*	00.0	W	343.7			125.0	-5.00	2.00	-298.35	119.86	-35.00	-0.58	343.72
14		05*	00.0'	N	050*	00.0'	W	303.5			1,085.8	5.00	10.00	298.35	596.70	-50.00	-15.00	303.54
15		11*	30.0'	N	060*	30.0'	W	301.9			738.6	11.50	6.50	690.03	391.68	-60.50	-10.50	301.87

16		11*	30.0'	N	060*	45.0'	W	270.0		14.7	11.50	0.00	690.03	0.00	-60.75	-0.25	270.00
17		10*	45.0'	N	061*	48.0'	W	234.1		76.8	10.75	-0.75	644.47	-45.56	-61.80	-1.05	234 Page: 39 of 70
18		10*	43.0'	N	061*	49.4'	W	214.7		2.4	10.72	-0.03	642.45				214.69
19		10*	40.0'	N	061*	49.4'	W	180.0		3.0	10.67	-0.05	639.42	-3.03	-61.82	0.00	180.00
20	Trinidad & Tobago	10*	23.1'	N	061*	32.4'	W	135.1		23.8	10.39	-0.28	622.34	-17.08	-61.54	0.28	135.13
											0.00	-10.39	0.00	-622.34	0.00	61.54	99.57
											0.00	0.00	0.00	0.00	0.00	0.00	
											0.00	0.00	0.00	0.00	0.00	0.00	
											0.00	0.00	0.00	0.00	0.00	0.00	
											0.00	0.00	0.00	0.00	0.00	0.00	
											0.00	0.00	0.00	0.00	0.00	0.00	
											0.00	0.00	0.00	0.00	0.00	0.00	
											0.00	0.00	0.00	0.00	0.00	0.00	
											0.00	0.00	0.00	0.00	0.00	0.00	
											0.00	0.00	0.00	0.00	0.00	0.00	
											0.00	0.00	0.00	0.00	0.00	0.00	

				0.00	0.00	0.00	0.00	0.00	0.00	5 40 670
				0.00	0.00	0.00	0.00	0.00	0.00	Page: 40 of 70
				0.00	0.00	0.00	0.00	0.00	0.00	
				0.00	0.00	0.00	0.00	0.00	0.00	
				0.00	0.00	0.00	0.00	0.00	0.00	
				0.00	0.00	0.00	0.00	0.00	0.00	
				0.00	0.00	0.00	0.00	0.00	0.00	
				0.00	0.00	0.00	0.00	0.00	0.00	
				0.00	0.00	0.00	0.00	0.00	0.00	
				0.00	0.00	0.00	0.00	0.00	0.00	
				0.00	0.00	0.00	0.00	0.00	0.00	
				0.00	0.00	0.00	0.00	0.00	0.00	
				0.00	0.00	0.00	0.00	0.00	0.00	
				0.00	0.00	0.00	0.00	0.00	0.00	
				0.00	0.00	0.00	0.00	0.00	0.00	
			4,222.6							

Code: SQE/Form-BC, 2019

on to Pilot station

		***************************************	***************************************	UKC CALCULATION AT I	VERY V	WAY POINT	
UKC (Mtrs)	FWD Draft	Aft Draft	Deepest Static Draft	Intended transit Speed	Squat	Open/Confined water Squat	Charted Depth+Tide
4.70	6.2	7.8	7.8		0.00	Confined	12.5
4.70	6.2	7.8	7.8		0.00	Confined	12.5
7.40	6.2	7.8	7.8		0.00	Confined	15.2
25.20	6.2	7.8	7.8		0.00	Confined	33
23.20	6.2	7.8	7.8		0.00	Confined	31
92.20	6.2	7.8	7.8		0.00	Confined	100
92.20	6.2	7.8	7.8		0.00	Confined	100
92.20	6.2	7.8	7.8		0.00	Confined	100
92.20	6.2	7.8	7.8		0.00	Confined	100
-7.80	6.2	7.8	7.8		0.00	Confined	
-7.80	6.2	7.8	7.8		0.00	Confined	
-7.80	6.2	7.8	7.8		0.00	Confined	
-7.80	6.2	7.8	7.8		0.00	Confined	
-7.80	6.2	7.8	7.8		0.00	Confined	
-7.80	6.2	7.8	7.8		0.00	Confined	

	_				
-7.80	6.2	7.8	7.8	0.00	Confined
-7.80	6.2	7.8	7.8	0.00	Confined
-7.80	6.2	7.8	7.8	0.00	Confined
-7.80	6.2	7.8	7.8	0.00	Open
-7.80	6.2	7.8	7.8	0.00	Confined
				0.00	
				0.00	
				0.00	
				0.00	
				0.00	
				0.00	
				0.00	
				0.00	
				0.00	
				0.00	
				0.00	

1	1	1	1,441,	0.00	T'''	ı
	ļ			 	<u> </u>	
				0.00	Confined	
				0.00	Confined	
				0.00	Confined	
				0.00	Confined	
				0.00	Confined	
				0.00	Confined	
				0.00	Confined	
				0.00	Confined	
				0.00	Confined	
				0.00	Confined	
				0.00	Confined	
				0.00	Confined	
				0.00	Confined	
				0.00	Confined	

Cell: AA7

Comment: Pls include charted depth + Tide in this column

Page: 45 of 70





M.V./M.T.: GLENDA MEREDITH

Section 11: Sea Passage - Passage from Pilot static

WP	Name/ Reference	L	.atitude	:	Lo	ongitu	de	T/CO	Bridge Manning	Position Plotting Interval	DIST	LAT	DLAT	MP	DMP	LONG	DLO	RL/CO
		Deg	Min	N/S	Deg	Min	E/W		Level	1 000001 100001 1000								NO.
1	Montevideo	35*	03.64'	S	056*	01.43	W		2	5	0.0	-35.06		-2,235.35		-56.02		
2		35*	04.00'	S	055*	50.00	W	092.2	1	5	9.4	-35.07	-0.01	-2,235.78	-0.44	-55.83	0.19	92.19
3		35*	06.00'	S	055*	30.00	W	096.9	1	15	16.6	-35.10	-0.03	-2,238.22	-2.43	-55.50	0.33	96.94
4		35*	04.50'	S	054*	30.00	W	088.3	1	15	49.3	-35.08	0.02	-2,236.39	1.82	-54.50	1.00	448.26
5		34*	46.00'	S	053*	43.00'	W	064.5	1	30	42.9	-34.77	0.31	-2,213.93	22.46	-53.72	0.78	424.46
6		34*	15.00'	S	052*	50.00'	W	054.8	1	30	53.7	-34.25	0.52	-2,176.49	37.45	-52.83	0.88	414.76
7		32*	00.00'	S	050*	00.00	W	046.7	1	30	196.7	-32.00	2.25	-2,016.04	160.45	-50.00	2.83	406.66
8		25*	40.00'	S	042*	30.00	W	046.2	1	120	548.8	-25.67	6.33	-1,584.16	431.88	-42.50	7.50	406.18
9		22*	00.00'	S	039*	12.00	W	039.6	1	120	285.6	-22.00	3.67	-1,344.96	239.20	-39.20	3.30	399.62
10		18*	00.00'	S	037*	00.00	W	027.5	1	120	270.5	-18.00	4.00	-1,091.02	253.94	-37.00	2.20	387.47
11		08*	00.0'	S	034*	25.0'	W	014.2	1	120	618.9	-8.00	10.00	-478.32	612.69	-34.42	2.58	374.20
12		07*	00.0'	S	034*	25.0'	W	360.0	1	60	60.0	-7.00	1.00	-418.21	60.12	-34.42	0.00	360.00
13		05*	00.0'	S	035*	00.0'	W	343.7	1	60	125.0	-5.00	2.00	-298.35	119.86	-35.00	-0.58	343.72
14		05*	00.0'	N	050*	00.0'	W	303.5	11	60	1,085.8	5.00	10.00	298.35	596.70	-50.00	-15.00	303.54
15		11*	30.0'	N	060*	30.0'	W	301.9	1	120	738.6	11.50	6.50	690.03	391.68	-60.50	-10.50	301.87

16		11*	30.0'	N	060*	45.0'	W	270.0	1	20	14.7	11.50	0.00	690.03	0.00	-60.75	-0.25	270.00
17	Trinidad OPL	11*	03.0'	N	061*	35.0'	W	241.3	2	20	56.3	11.05	-0.45	662.68	-27.35	-61.58	-0.83	241:32ge: 47 of 70
												0.00 -	11.05	0.00	-662.68	0.00	61.58	100.17
												0.00	0.00	0.00	0.00	0.00	0.00	
												0.00	0.00	0.00	0.00	0.00	0.00	
												0.00	0.00	0.00	0.00	0.00	0.00	
												0.00	0.00	0.00	0.00	0.00	0.00	
												0.00	0.00	0.00	0.00	0.00	0.00	
												0.00	0.00	0.00	0.00	0.00	0.00	
				•			**********					0.00	0.00	0.00	0.00	0.00	0.00	
												0.00	0.00	0.00	0.00	0.00	0.00	
												0.00	0.00	0.00	0.00	0.00	0.00	
	***************************************											0.00	0.00	0.00	0.00	0.00	0.00	
												0.00	0.00	0.00	0.00	0.00	0.00	
												0.00	0.00	0.00	0.00	0.00	0.00	
									•			0.00	0.00	0.00	0.00	0.00	0.00	

					0.00	0.00	0.00	0.00	0.00	0.00	
					0.00	0.00	0.00	0.00	0.00	0.00	Page: 48 of 70
					0.00	0.00	0.00	0.00	0.00	0.00	
					0.00	0.00	0.00	0.00	0.00	0.00	
					0.00	0.00	0.00	0.00	0.00	0.00	
					0.00	0.00	0.00	0.00	0.00	0.00	
					0.00	0.00	0.00	0.00	0.00	0.00	
					0.00	0.00	0.00	0.00	0.00	0.00	
					0.00	0.00	0.00	0.00	0.00	0.00	
					0.00	0.00	0.00	0.00	0.00	0.00	
					0.00	0.00	0.00	0.00	0.00	0.00	
					0.00	0.00	0.00	0.00	0.00	0.00	
					0.00	0.00	0.00	0.00	0.00	0.00	
					0.00	0.00	0.00	0.00	0.00	0.00	
					0.00	0.00	0.00	0.00	0.00	0.00	
	WARRANT TO THE PROPERTY OF THE			4,172.8							

Code: SQE/Form-BCL-019

on to Pilot station

Voyage No.	11	
------------	----	--

	***************************************	***************************************		UKC CALCULATION AT I	VERY V	WAY POINT	
UKC (Mtrs)	FWD Draft	Aft Draft	Deepest Static Draft	Intended transit Speed	Squat	Open/Confined water Squat	Charted Depth+Tide
3.43	6.2	7.8	7.8	13	1.27	Open	12.5
3.43	6.2	7.8	7.8	13	1.27	Open	12.5
3.43	6.2	7.8	7.8	13	1.27	Open	12.5
3.93	6.2	7.8	7.8	13	1.27	Open	13
16.93	6.2	7.8	7.8	13	1.27	Open	26
12.93	6.2	7.8	7.8	13	1.27	Open	22
42.93	6.2	7.8	7.8	13	1.27	Open	52
90.93	6.2	7.8	7.8	13	1.27	Open	100
90.93	6.2	7.8	7.8	13	1.27	Open	100
90.93	6.2	7.8	7.8	13	1.27	Open	100
90.93	6.2	7.8	7.8	13	1.27	Open	100
90.93	6.2	7.8	7.8	13	1.27	Open	100
90.93	6.2	7.8	7.8	13	1.27	Open	100
33.93	6.2	7.8	7.8	13	1.27	Open	43
74.93	6.2	7.8	7.8	13	1.27	Open	84

90.93	6.2	7.8	7.8	13	1.27	Open	100
76.93	6.2	7.8	7.8	13	1.27	Open	86
					0.00	Open	
					0.00	Open	
					0.00	Open	
					0.00	Open	
					0.00		
					0.00		
					0.00		
					0.00		
					0.00		
					0.00		
					0.00		
					0.00		
					0.00		
					0.00		

	riphia.aa.	18111
	0.00	
	0.00	Confined

Cell: AA7

Comment: Pls include charted depth + Tide in this column

Page: 53 of 70



SQE MANAGEMENT SYSTEM FORM

Section 11 A: Arrival port - Passage from Pilot Stati

M.V./M.T.: GLENDA MEREDITH

WP	Name/ Reference	Latitude	Longitude	T/CO	Bridge Manning	Position Plotting Interval	DIST	LAT	DLAT MF	DMP	LONG	DLO	RL/CO	8
,,,	Titality Itelefolice	Deg Min N/S	Deg Min E/W		Level				***************************************			***************************************	***************************************	(Mtr
	NOT APPLICABLE	N	E					0.00	0.0)	0.00			
								0.00	0.00 0.0	0.00	0.00	0.00		
								0.00	0.00 0.0	0.00	0.00	0.00		
								0.00	0.00 0.0	0.00	0.00	0.00		
								0.00	0.00 0.0	0.00	0.00	0.00		
								0.00	0.00 0.0	0.00	0.00	0.00		
								0.00	0.00 0.0	0.00	0.00	0.00		
								0.00	0.00 0.0	0.00	0.00	0.00		
								0.00	0.00 0.0	0.00	0.00	0.00		
								0.00	0.00 0.0	0.00	0.00	0.00		
								0.00	0.00 0.0	0.00	0.00	0.00		
								0.00	0.00 0.0	0.00	0.00	0.00		
								0.00	0.00 0.0	0.00	0.00	0.00		
								0.00	#REF! 0.0	#REF!	0.00	#REF!	#REF!	
								0.00	0.00 0.0	0.00	0.00	0.00		
								0.00	0.00 0.0	0.00	0.00	0.00		
								0.00	0.00 0.0	0.00	0.00	0.00		
							1	0.00	0.00 0.0	0.00	0.00	0.00		

Code: SQE/Form-BCL-019 Date: January 01, 2014

on to berth

Voyage No.	11

			C CALCULATION AT I	EVERY	WAY POINT			
FWD Draft	Draft Aft Draft Static Draft		Intended transit Speed	Squat	Open/Confined water Squat	Charted Depth+Tide		

Select from list Open Confined Cell: AA7

Comment: Pls include charted depth + Tide in this column



M.V./M.T.:GLENDA MEREDITH

Section 11 B: Arrival Port – Passage from Pilot Station

WP	Name/ Reference	L	atitud			ngitude	T/CO	Bridge Manning Level	Position Plotting Interval	DIST	LAT	DLAT	MP	DMP	LONG	DLO	RL/CO	UKC
		Deg	Min	N/S	Deg	Min E/W		Devel	0									(Mtrs)
				Ν		E					0.00		0.00		0.00			
											0.00	0.00	0.00	0.00	0.00	0.00		
											0.00	0.00	0.00	0.00	0.00	0.00		
											0.00	0.00	0.00	0.00	0.00	0.00		
											0.00	0.00	0.00	0.00	0.00	0.00		
											0.00	0.00	0.00	0.00	0.00	0.00		
											0.00	0.00	0.00	0.00	0.00	0.00		
											0.00	0.00	0.00	0.00	0.00	0.00		
											0.00	0.00	0.00	0.00	0.00	0.00		
											0.00	0.00	0.00	0.00	0.00	0.00		
											0.00	#REF!	0.00	#REF!	0.00	#REF!	#REF!	
											0.00	0.00	0.00	0.00	0.00	0.00		
											0.00	0.00	0.00	0.00	0.00	0.00		
											0.00	0.00	0.00	0.00	0.00	0.00		
											0.00	0.00	0.00	0.00	0.00	0.00		
									-		0.00	0.00	0.00	0.00	0.00	0.00		
											0.00	0.00	0.00	0.00	0.00	0.00		
											0.00	0.00	0.00	0.00	0.00	0.00		

Voyage No.	11	
------------	----	--

	ı		C CALCULATION AT	EVERY	WAY POINT			
FWD Draft	Aft Draft	Deepest Static Draft	Intended transit Speed	Squat	Open/Confined water Squat	Charted Depth+ Tide		

A J. DAAD

Cell: AA7

Comment: Pls include charted depth + Tide in this column



SQE MANAGEMENT SYSTEM FORM PASSAGE PLAN

Code: SQE/Form-BCL-(

Date: January 01, 20


VESSEL	GLENDA MEREDITH	Date:	24-JUN-2014
PORT/ AREA	MONTEVIDEO ZONE ALFA ANCHORAGE	Local Time:	1800 LT


*All input in metres

DEEPEST NAVIGATION D	RAFT C	ALCULA	ATION (all in m	itrs)	CON	TROLLIN	G DEPT	H CALC	JLATION	
		Dead Slow Ahead	Slow Ahead	Half Ahead	Full Ahead	MINIMUM CHARTERE	D				
DEEPEST DRAFT		7.80	7.80	7.80	7.80	DEPTH				11.60	
ALLOWANCE FOR HOG / SA	G	0.10	0.10	0.10	0.10	EFFECT OF		/ -)		0.90	
ALLOWANCE FOR ROLLING	/	0.10	0.10	0.10	0.10	ALLOWANC				0.00	
ALLOWANCE FOR LIST (+)		0.00	0.00	0.00	0.00	ACTUAL CO	NTROLL	.ING	12.50		
ALLOWANCE FOR SQUAT (+ If width of the channel > 8 X I	0.28	0.46	0.98	1.48	Engine Control	Dead Slow Ahead	Slow Ahead	Half Ahead	Full Ahe		
If width of the channel ≤ 8 X	Beam					Speed (kts)	5.90	7.50	11.00	13.50	
DEEPEST NAVIGATION DRAFT (i)	AL	8.28	8.46	8.98	9.48	(at Tropical Draft) Chann		Width	of the		
UNDER - KEEL CALCULATION	. . .	1.00	4.04	0.50					Beam		
	Mtrs	4.22	4.04	3.52	3.02				000000000000000000000000000000000000000		
[(ii)-(i)]	Feet	13.84	13.27	11.55	9.92	0.81 400		0.00	32.24		

Ship's Draft	Condition	Net UKC
< 17 m	At Berth	0.60 mtrs
> 17 m	At Berth	0.90 mtrs
At all drafts	Open Sea	5.0 mtrs
At all drafts	Arr/Dep Port (No Pilot onboard) / Anchorage / Sea-berths	3.0 mtrs
At all drafts	Pilotage	1.2 mtrs

Issued: SQE Dept. Approved: DMR





ad

ED_002238_00002153-00064





SQE MANAGEMENT SYSTEM FORM PASSAGE PLAN

Date: January 01, 20


VESSEL	GLENDA MEREDITH	Date:	08 JUL. 2014
PORT/	OPL TRINIDAD	Local Time:	1800
AREA			


*All input in metres

DEEPEST NAVIGATION DRAFT CALCULATION (all in mtrs)					CONTROLLING DEPTH CALCULATION					
		Dead Slow Ahead	Slow Ahead	Half Ahead	Full Ahead	MINIMUM CHARTERED				
DEEPEST DRAFT		8.20	8.20	8.20	8.20	DEPTH		100.00		
ALLOWANCE FOR HOG / SAG		0.10	0.10	0.10		EFFECT OF TIDE (+/-)			1.00	
ALLOWANCE FOR ROLLING /		0.10	0.10	0.10	0.10	ALLOWANCE FOR			0.00	
ALLOWANCE FOR LIST (+)		0.00	0.00	0.00	0.00	ACTUAL CONTROLLING			101.00	
ALLOWANCE FOR SQUAT (+) If width of the channel > 8 X Beam		0.28	0.46	0.98	1.48	Engine Control	Dead Slow Ahead	Slow Ahead	Half Ahead	Full Ahe
If width of the channel ≤ 8 X Beam						Speed (kts)	5.90	7.50	11.00	13.50
DEEPEST NAVIGATION AL DRAFT (i)		8.68	8.86	9.38	9.88	CB Widtl		of the	<u> </u>	
UNDER - KEEL CALCULATION	Mtrs	92.32	92.14	91.62	91.12	(at Tropical Draft) Char		innel	Beam	
[(ii)-(i)]	Feet				298.89			6.00	32.24	

Ship's Draft	Condition	Net UKC
< 17 m	At Berth	0.60 mtrs
> 17 m	At Berth	0.90 mtrs
At all drafts	Open Sea	5.0 mtrs
At all drafts	Arr/Dep Port (No Pilot onboard) / Anchorage / Sea-berths	3.0 mtrs
At all drafts	Pilotage	1.2 mtrs

Issued: SQE Dept. Approved: DMR





ad



SQE MANAGEMENT SYSTEM FORM

Code: SQE/Form-BCL-019 Date: January 01, 2014

Section 13: Master's review of passage plan

M.V/M.T GLENDA MEREDI	GLENDA MEREDITH				11		
Section - 1 General information			YES	NO	N/A		
Has all relevant information filled up in the	he Set up Page ?		X	NO	IN/A		
				1			
Section - 2 Nautical Charts			r	,			
Has all relevant information filled in for e	•	0	X	ļ			
Are all charts on board for the passage an Has the position for Calling Master, Notice	•		X	-			
How many charts are being used for this	•	12	X	<u> </u>	<u> </u>		
Voyage Charts corrected to NTM no.	26/2014	14					
, 0	·	2					
Section - 3 Publications		1.	r	1			
Have all required Publications been ident section 3? Voyage Publications corrected		26/2014	X	<u></u>	<u> </u>		
section 5: Voyage 1 doneadons corrected	to ivitio.	20/2017					
Section - 4 Tides & current							
Has all relevant information regarding tid	les & current filled in section 4?		X	<u></u>			
Cardina & Wardina and Pdina							
Section - 5 Weather conditions Has all relevant questionnaire being filled	Lun regarding expected weather co	nditions?	v	T			
Has the advice from Weather routeing ag		naraons:	X	-			
This the device from Weather Toutening ag	eneres seen appried:		Δ		<u> </u>		
Section - 6 Reporting details							
Has all relevant reporting requirements as	s listed in section 6 kept ready for u	ise.?	<u> </u>		L		
Section - 7 Bridge team manageme	ant						
Has watch schedule/ manning requirement		ent	X	T			
discussed with all Navigating officers and							
Section - 8 ISPS requirements				T			
Has the ISPS Section fully filled in and re	equired precautions taken?		X		<u> </u>		
Section - 9 Environment requirem	ents						
Have all relevant answers been filled up r	egarding environmental aspect		Х				
during the voyage?							
Section - 10 Contingencies							
Have all contingencies measures been dis	cussed with the bridge team?		X	T			
J	J						
Section - 11 Departure port- Waype			r	1			
Has the Departure port way point list fille What is the Minimum expected UKC	X	1	<u> </u>				
what is the Minimum expected OKC	N/A						
Section - 12 Sea passage- Waypoint	S						
Has the Sea passage way point list filled i			Х				
What is the Minimum expected UKC	3.4						
Section - 13 Arrival port- Waypoint	·e						
Has the arrival port way point list filled in			X	T			
What is the Minimum expected UKC	N/A				lannunnnnnnn		
C							
Section - 14 UKC calculation Is UKC calculated as per bridge procedu	re manua ?		X	T			
is one calculated as per orrage procedu			A				
Signature		Master's Name	Capt. Mocu				
	4 Jun 2014	Time	15	30			
We undersigned hereby cor	nfirm understanding & complian	ice with above pas	sage plan				
NT	T) =1	T /T. :	G .		X 000000000000000		
Name	Rank	Date/Time	Sign	ature	800000000000000000000000000000000000000		
Saurav Kumar Wahid Kapdi	Chief officer Second officer	24 Jun 2014 24 Jun 2014			***************************************		
Trevor Da Veiga	Third officer	24 Jun 2014					

Issued: SQE Dept. Approved: DMR